

IRIX - Digital Stone

Technical Data Sheet

TDS EN_IRIX_102019



THE NANO-FILLED CERAMIC MATERIAL

IRIX is a nano-ceramic photosensitive material for DWS' SLA systems. Thanks to IRIX, the revolutionary "digital stone", designers will have the possibility to develop their creativity without any shape limit or colour restriction. The creation of the stone is performed using nanotechnologies applied to the additive process, obtaining a material having the main features of a natural stone. It is possible to manufacture directly the object from the STL file.

THE IRIX SERIES

The IRIX series includes all the materials suitable for the direct printing of jewellery models and fashion accessories. IRIX was developed exclusively for DWS jewellery range 3D printers.

HINTS FOR DESIGN

IRIX allows maximum versatility for the manufacture of the finished product and it is available in the following colours:

- White
- Ivory
- Coral
- Turquoise
- Black

FEATURES

- Direct Printing
- High Resolution
- High Accuracy
- Wide Colours Range

TECHNICAL CHARACTERISTICS OF THE LIQUID MATERIAL

Environmental Values for Use	22°C - 27°C - max, RH 40% - 60%				
Appearance / Colour	Liquid / White	Ivory	Coral	Turquoise	Black
Viscosity (mPa•s at 25°C)	1550 ~2350	1300 ~ 1900	1400 ~2100	1400 ~ 1200	1100 ~ 1600
Density (g/cm3)	1,4				
Application / Use	Direct printing, Digital Stone				

Technical specification subject to change without notice.

DWS srl

Via della Meccanica 21 - 36016 Thiene (VI) - Italy
T: +39 0445 810810 - E: info@dwssystem.com - I: www.dwssystem.com



19th av René Duguay Trouin
78960 Voisins le Brefonneux
Tel: + 33 (0)1 30 60 03 33
Email: info@3dsolutions.fr
www.3dsolutions.fr

